

# General Specification

# Remote Data Synchronization



GS GMSCK0801-01E

## ■ The Problem

Exaquantum PIMS systems are often located in remote locations and accessing the key historian data can be difficult especially over volatile network links, such as satellite or microwave connections.

## ■ The Solution


Exaquantum/RDS (Remote Data Synchronization), a key component of Yokogawa's specialist connectivity solutions, deployed on two or more Exaquantum PIMS historians provides secure and reliable data communication.

## ■ Benefits

- Secure and reliable data transfer method between Exaquantum servers
- Maintain duplicate data sets for backup and testing purposes
- Remote data can be made available for processing by higher end applications
- Multiple data sources can be combined to a single destination

## ■ Key Features

- Communication between Exaquantum historians across potentially volatile network links
- Configurable data transfer delay
- Ability to apply data encryption
- Transferred Exaquantum historical data includes:
  - OPC tags
  - Calculation tags
  - Manual tags
  - Aggregations
  - Alarm and Events
  - Tag Reference Data such as 'Units of Measure' and 'Description'
- Sub-sets of Exaquantum tags can be transferred



## ■ Introduction

With Exaquantum/RDS, one or more Exaquantum Historians can be set as data sources (Publishers) with one Exaquantum Historian being the data receiver (Consumer). Data always flows from a Publisher to a Consumer.

When the network link between Exaquantum Historians is stable, Exaquantum/RDS transfers data between the Publisher and Consumer Exaquantum Historian systems at the specified transfer rate. This can be set to near real-time or slower where the update rate is not so crucial.

When the network link between the Publisher and Consumer Exaquantum Historians is severed, Exaquantum/RDS will wait for the network connection to be re-established. Upon re-establishment, Exaquantum/RDS will transfer the data to the Consumer that was accumulated by the Publisher while the network connection was unavailable.

Whenever the network link is disconnected for an extended period of time, Exaquantum/RDS can transfer data manually using file export. The data is packed into a file, which can then be copied to removable storage media, for transportation and importing into the receiving Consumer Exaquantum database.

## ■ Capabilities

### Tag Mapping

Tags are mapped between the Publisher(s) and Consumer allowing data from all Exaquantum tags or a subset to be transferred. Tag naming between Exaquantum servers does not need to be consistent. The tag mapping includes the ability to specify OPC tags, reference data, aggregations, calculation and manual tags.

### Alarm and Event Transfer

Exaquantum collected Alarm and Events can be transferred between a Publisher and Consumer independently of the tag data transfer. Individual Event Categories can be selected for transfer allowing greater control of the events that are transferred.

### System Status

The Publisher and Consumer statuses are used to evaluate the overall system health; these statuses cover all the main areas of the system which are required to be working such as the network status, tag, alarm and event catch-up statuses.

### Data Transfer Scheduling

Data transmission between the Publisher and Consumer can be suspended for a daily time period. Once configured, the Publisher will not send data between the configured "Start" and "End" time. This suspension option allows for activities such as scheduled maintenance or to avoid periods of high user activity across a low bandwidth link.

### Manual Data Export and Import

During extended periods of a network link being unavailable between the Publisher and Consumer there is the option to manually transport a selected period of tag or alarm and event data between Exaquantum systems via portable media.

### Bidirectional Communication Setup

Exaquantum/RDS can be setup to handle bidirectional communication, meaning data flows in both directions. In this case both Exaquantum servers act as both the Publisher and Consumer.

## ■ Hardware and Software Requirements

Tables: Minimum Hardware and Software Specifications

Component	Hardware Specifications
Exaquantum/RDS Publisher or Consumer	<ul style="list-style-type: none"> <li>Please contact your local Yokogawa office</li> </ul>

Component	R3.00 Software Specifications
Exaquantum/RDS Publisher or Consumer	<p>&lt;Operating Systems&gt;</p> <ul style="list-style-type: none"> <li>Windows Server 2008 Standard (SP2) – 32 bit</li> <li>Windows Server 2008 R2 Standard (SP1) – 64 bit</li> <li>Windows Server 2012</li> </ul> <p>&lt;Other Software&gt;</p> <ul style="list-style-type: none"> <li>Exaquantum PIMS R2.70, R2.80 or R2.85 Server (Legacy or Standard Security)</li> </ul>

## ■ Models and Suffix Codes

Table: Exaquantum/RDS Server License

	Product Codes	Description
Model	GMSC08	Exaquantum/RDS Server License
Suffix Codes	-S	Basic Software License
	1	New Order (with Media)
	1	English Version
	-SPA□□	Enter the number of Publisher-to-Single-Consumer Exaquantum/RDS Server Licenses for transferring Tag data and Alarms & Events in □□ (01 - 99)
	-SP□□	Enter the number of Publisher-to-Single-Consumer Exaquantum/RDS Server Licenses for transferring Tag data only in □□ (01 - 99)
	-SA□□	Enter the number of Publisher-to-Single-Consumer Exaquantum/RDS Server Licenses for transferring Alarms & Events only in □□ (01 - 99)
	-MPA□□	Enter the number of Publisher-to-Multiple-Consumers Exaquantum/RDS Server Licenses for transferring Tag data and Alarms & Events in □□ (01 - 99)
	-MP□□	Enter the number of Publisher-to-Multiple-Consumers Exaquantum/RDS Server Licenses for transferring Tag data only in □□ (01 - 99)
	-MA□□	Enter the number of Publisher-to-Multiple-Consumers Exaquantum/RDS Server Licenses for transferring Alarms & Events only in □□ (01 - 99)

**Table: Exaquantum/RDS Maintenance Service**

	Product Codes	Description
Model	GMSCK80	Exaquantum/RDS Maintenance Service
Suffix Codes	-S	Basic Maintenance Service
	1	Always 1
	1	English Version
	-8SPA□□	Enter the number of Exaquantum/RDS Tag data and Alarms & Events Publisher-to-Single-Consumer Licenses in □□ (01 – 99)
	-8SP□□	Enter the number of Exaquantum/RDS Tag data Publisher-to-Single-Consumer Licenses in □□ (01 – 99)
	-8SA□□	Enter the number of Exaquantum/RDS Alarms & Events Publisher-to-Single-Consumer Licenses in □□ (01 – 99)
	-8MPA□□	Enter the number of Exaquantum/RDS Tag data and Alarms & Events Publisher-to-Multiple-Consumer Licenses in □□ (01 – 99)
	-8MP□□	Enter the number of Exaquantum/RDS Tag data Publisher-to-Multiple-Consumer Licenses in □□ (01 – 99)
	-8MA□□	Enter the number of Exaquantum/RDS Alarms & Events Publisher-to-Multiple-Consumer Licenses in □□ (01 – 99)

## ■ Trademarks

Exaquantum, Exaopc and CENTUM are registered trademarks of the Yokogawa Electric Corporation.

All other company brand or product names mentioned in this general specification are trademarks or registered trademarks of their respective holders.